
AD-A161 617 A PROBABILISTIC MODEL FOR DIAGNOSING MISCONCEPTIONS BY A PATTERN CLASSIFI (U) ILLINOIS UNIV AT URBANA COMPUTER-BASCD EDUCATION RESEARCH LAB K K TATSUCKA UNCLASSIFIED MAY 83 CERL-RR-83-4-ONR BBI-AD-F639 513 F/G 12/1 NL



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF CHARTONAL BUREAU OF CHARTONAL PARKS

F630513



CERL

Computer - based Education Research Laboratory

A PROBABILISTIC MODEL FOR DIAGNOSING MISCONCEPTIONS BY A PATTERN CLASSIFICATION APPROACH

KIKUMI K. TATSUOKA

Approved for public release; distribution unlimited. Reproduction in whole or in part permitted for any purpose of the United States Government.

This research was sponsored by the Personnel and Training Research Program, Psychological Sciences Division, Office of Naval Research, under Contract No. NOOO14-82-K-0604. Contract Authority Identification Number NR 150-495.

S H

RESEARCH REPORT 83-4-ONR

MAY 1983



NOV 2 2 1985

University of Illinois at Urbana-Champaign

Copies of this report may be requested from:

Kikumi K. Tatsuoka 252 ERL 103 S. Mathews St. University of Illinois Urbana, IL 61801 SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTAT		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
Research Report 83-4-ONR	AD- A161617	
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
A probabilistic model for dia	ignosing misconcep-	
tions by a pattern classifica	ition approach	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(*)
Kikumi K. Tatsuoka		N00014-82-K-0604
9. PERFORMING ORGANIZATION NAME AND AD	DRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Computer-based Education Rese		61153N: RR042-04
103 S. Mathews, Rm. 252 ERL, Urbana, IL 61801	U of Illinois	NR 150-495
11. CONTROLLING OFFICE NAME AND ADDRES	S	12. REPORT DATE
Personnel and Training Resear	ch Programs	May 1983
Office of Naval Research (Cod	•	13. NUMBER OF PAGES
Arlington, VA 22217		
14. MONITORING AGENCY NAME & ADDRESS(IL	different from Controlling Office)	15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

Approved for public release; distribution unlimited

- 17. DISTRIBUTION STATEMENT (of the exertect entered in Block 20, If different from Report)
- 18. SUPPLEMENTARY NOTES
- 19. KEY WORDS (Continue on reverse size if necessary and identify by block number)

Item response theory, pattern classification, rule space, extended caution index, signed-numbers subtraction, misconceptions, bugs, erroneous rules of operation, probability

20. ABSTRACT (Continue on reverse size finecessary and identify by block number)

The purpose of this study is to introduce a probabilistic approach to classify and diagnose erroneous rules of operation resulting from a variety of misconceptions ("bugs") in a procedural domain of arithmetic. The model contrasts the seterministic approach which has commonly been

used in the field of artificial intelligence and shows an advantage in treating the variability of errors in responses. Item response theory (IRT) turned out to be a useful model in integrating the theory of cognitive processes with educational practice. In this paper, erroneous rules of operation in signed-number subtraction problems are represented as points in a geometric space by utilizing IRT. We named this space "rule space." This approach seems promising in assessing the state of knowledge as reflected by erroneous rules and in utilizing the information obtained from behaviors of bugs into educational evaluation.

Acknowledgement


Dist

This research was sponsored by the Personnel and Training
Research Program, Psychological Sciences Division, Office of Naval
Research, under contract No. NO0014-79-C-0752.

Several of the analyses presented in this report were performed on the PLATO system. The PLATO system is a development of the University of Illinois, and PLATO is a service mark of Control Data Corporation.

The author would like to gratefully acknowledge and thank several people in her staff for their help. First, Maurice Tatsuoka, who gave much editorial help and engaged in many useful discussions with the author. Robert Baillie wrote all the computer programs used in this report. Gerard Chevalaz did data analysis and Louise Brodie typed the manuscript and prepared some of the figures.





This study introduces a model, utilizing item response theory, for dealing with various rules that students use in solving problems. Siegler (1976, 1978) developed a rule assessment method for handling choice data -- he used this method in the context of cognitive development in the balance scale. Anderson (1974, 1981) developed a functional measurement methodology to research the assessment of algebraic integration rules. Wilkening and Anderson (1982) compared the two methods (Siegler's binary decision tree method and Anderson's functional method) and discussed their advantages and disadvantages. Wilkening and Anderson state that the binary decision tree methodology does not resolve the underlying problem of lack of an error theory to handle response variability. The functional measurement method allows for unreliability or variability in the responses and allows analysis of variance to assess a goodness of fit measure between rules and data. It seems, however, that both the methods are more suitable for investigating a basic foundation of knowledge structure and development rather than for conducting evaluative studies on performance data.

This study will introduce a measurement model using item response theory (IRT) for dealing with the misconceptions committed by many students. Although the purpose of the model is neither to discover an unknown source of misconception from responses nor to represent knowledge structure like the binary decision tree method, it has the capability of diagnosing many erroneous rules. The primary purpose of the model is to establish an interface between cognitive processes and psychometrics.

It is useful to know the transitional behavior of error types which may be due to a change of instructional methods, advancement of learning stages, or the stability and persistence of particular misconceptions. Such knowledge can help to evaluate instruction, measure the outcome of learning and obtain diagnostic information for designing remedial instruction which should be particular to the type of misconception. The model should be able to express various aspects of misconceptions quantitatively so that they can be statistically related to other measures like motivation or creativity.

First the model, which is named "rule space," will be introduced. The rule space is formulated by using IRT models so as to facilitate probabilistic treatments for "behaviors" of misconceptions. An index measuring "usualness" of responses will also be briefly described because it is used as one of the coordinates of rule space. Secondly, rule space will be illustrated with signed-number arithmetic data and the responses generated from various erroneous rules will be shown as points in the rule space. Then we will discuss a technique for assessing rules used inconsistently by a student due to "slips" or the instability of his/her misconceptions. Using pattern classification techniques (Fukunaga, 1972) to determine the student's latent state of knowledge (Tatsuoka & Tatsuoka, 1981) or to find his/her misconception(s) seems very useful when taking the variability of errors into account.

Rule Space

All erroneous rules of operation in signed-number arithmetic (that have already been discovered) can be expressed as points in a geometric space called "rule space." In other words, rule space is a geometric representation of the rules used by students. Before the formulation of the rule space is presented, the extended caution index (which measures the degree of anomaly in response patterns) will be briefly introduced. Extended Caution Index (ECI)

A group of extended caution indices, which provides information from patterns of responses to test items not contained in the total score, was introduced by Tatsuoka and Linn (1981, 1983). Similar indices based on IRT (Wright & Stone, 1977; Levine & Rubin, 1979) were introduced as identifiers of "guessing, sleeping, fumbling and plodding" (Wright & Stone, 1977, p. 110) or "so atypical...that his or her aptitude test score fails to be a completely appropriate measure" (Levine & Rubin, 1979, p. 269). Statistical properties of the ECIs have been investigated by Tatsuoka and Tatsuoka (1982). The raw ECIs are standardized (SECIs) by subtracting their conditional expectations then dividing them by their conditional standard error. By so doing, SECI provide values comparable at two different levels of person parameters.

The values of the ECIs are calculated by first constructing two matrices; one is a binary score matrix (y_{ij}) , $i=1,\ldots,N$, $j=1,\ldots,n$ where N is the number of students and n is the number of items in a test. The other is a probability matrix with elements P_{ij} , which values of a logistic function with one, two or three parameters, defined as

$$P_{ij} = c_j + \frac{1-c_j}{1+\exp[-Da_j(\theta_i-b_j)]}$$

where c_i is the guessing parameter, a_j is the item discriminating power, b_j is the item difficulty, and θ_i is person i's ability or achievement level (Lord & Novick, 1968; Lord, 1980).

In practice, the estimated P_{ij} obtained by substituting a_j , b_j , c_j and θ_i by their estimated item and person parameters in the logistic function can be used. One of the ECIs, ECI4, is defined as an index reflecting anomaly of an actual response pattern at a given level of ability θ_i . It is the complement of the ratio of two covariances: the numerator is the covariance of the ith row vector, y_i , of (y_{ij}) and the ith row, P_i , of the probability matrix (P_{ij}) ; the denominator is the covariance of the column-mean vector of, $G = (G_{ij}, G_{ij}, \ldots, G_{ij})$, and the ith row vector P_i , both of (P_{ij}) .

 $G = (G_{1}, G_{2}, \dots, G_{n})$, and the ith row vector P_{i} , both of (P_{ij}) . That is,

ECI4 = 1 -
$$\frac{\text{cov}(y_i, p_i)}{\text{cov}(g, p_i)}$$

where

$$G_{\cdot j} = \frac{1}{N} \sum_{i=1}^{N} P_{i j}$$

The conditional expectation and variance of ECI4 are given by

$$E(ECI4|\theta_i) = 1 - \frac{Var(P_i)}{cov(Q_i, P_i)}$$

$$Var(ECI4|\theta_{i}) = \frac{2\sigma_{ij}^{2}(P_{ij} - T_{i})^{2}}{n^{2}cov^{2}(Q_{ij} - P_{i})}$$

Thus, the standardized ECI4 is given by

$$ECI4_{z} = \frac{n \cdot cov(P_{i} - y_{i}, P_{i})}{\sum_{j=1}^{n} j^{2}(P_{i} - T_{i})^{2}}$$

where $T_i = \frac{1}{n} \sum_{j=1}^{n} P_{ij}$, the raw-mean vector of (P_{ij}) and $y_{ij}^2 = P_{ij}(1 - P_{ij})$, variance of item j at the level i.

Tatsuoka and Tatsuoka (1982) showed empirically that the standardized ECI4 (SECI4) has an appropriate normal distribution. This is not surprising because ECI4 is a weighted arithmetic mean of P_{ij} , j=1, 2,...,n, while the appropriateness measures developed by Levine and Rubin (1979) and Drasgow (1982), correspond to a geometric mean of P_{ij} . Both the extreme tails of the distribution correspond to more unusual response patterns while the points in the middle indicate the usual, typical response patterns. Harnisch and Tatsuoka (1983) examined empirically the relationship between SECIs and total scores, finding that SECI correlates nearly zero with the total scores, both linearly and curvilinearly.

Component scoring: decomposing the regular scoring procedure of "right" or "wrong" into finer components

Many erroneous rules in arithmetic can produce the right answer for a given item (Van Lehn, 1982; Birenbaum & Tatsuoka, 1985a; Tatsuoka & Tatsuoka, 1982, 1983; Davis 1980). For example, the item -16 - (-4) can have the right answer by the following three erroneous rules: (1) always subtracting the two numbers and taking the sign of the number with the larger absolute value; (2) changing the minus operation sign to addition, misunderstanding the parentheses as the bars of absolute value and then applying the right rule for addition; (3) converting the subtraction to an addition problem by changing the sign of the second

number, then subtracting the smaller absolute value from the larger absolute value and taking the sign of the first number to the answer. These three erroneous rules, which are committed by a substantial number of seventh graders (Birenbaum & Tatsuoka, 1983), produce the right answer for all subtraction problems in which the first number has the larger absolute value. But if we give a second item 4 - (-16), then rule (1) produces -12 and rules (2) and (3) yield the answers of +20 and +12, respectively. Therefore, if we select an appropriate set of items, each rule would correspond to a unique set of responses to those items. It is not always true, however, that the traditional scoring of "right" or "wrong" for responses to the items produces a unique set of binary response patterns corresponding to each rule.

Tatsuoka and Baillie (1982) pointed out that there are several erroneous rules whose response patterns by the traditional scoring procedure are identical but which can be distinguished by decomposing the unit of the answer into finer components. Tatsuoka and Tatsuoka (1981) listed the response patterns of 45 erroneous rules in signed-number arithmetic also obtained from the regular scoring procedure. Some of the 45 binary patterns of 16 items are identical although the descriptions of the erroneous rules which produced these identical patterns are not. There is no way to distinguish two such different rules just by looking at their binary response patterns.

However, all the erroneous rules discovered so far in signed-number addition and subtraction problems can be expressed uniquely as sets of the binary response patterns resulting from the component scoring procedure obtained by decomposing the regular scoring procedure into

finer components -- e.g., the sign part of the answer for a given item and the absolute value part of the answer in signed-number problems, or, for a fraction problem, the three components (whole number, numerator and denominator) of the answer. The regular response patterns are elementwise products of the component response patterns. Table 1 describes this procedure with four examples of signed-number subtraction.

Insert Table 1 about here

Hereafter we will use this new scoring method, the component scoring procedure, in this study. Even though the rationale of component scoring is based on a signed-number study, it may be generalized to other domains of arithmetic or mathematics.

Rule space: True score and SECI4 for component response patterns

Remember that each student's regular response pattern obtained by regular scoring is decomposed into component response patterns so that his/her responses to the test items are now represented by component response patterns. The Euclidean space determined by the four variables, T_i^a , T_i^s , SECI4 $_i^a$ and SECI4 $_i^s$ will be called "rule space" hereafter. For example, the four rules of Table 1 are expressed as four points in the rule space.

Lord and Novick (1968) and Lord (1980) defined test characteristic function (or test response curve) as the average of n item response curves (or item characteristic functions) and denoted by $T(\theta)$. That is,

$$T(\theta) = 1/n \sum_{j=1}^{n} P_{j}(\theta)$$

Table 1

The Binary Response Patterns of Three Different Scorings Generated by Four Rules

	Rule 16	16	Rule 32	32	Rule 12	12	Rule	94
ltens	Responses	R*S*A*	Responses	R S A	Responses	R S A	Responses	R S A
-3 - (-7) = +4	7-	0 0 1	7+	1 1 1	7+	1 1 1	7+	1 1 1
8 = -10	9+	0 0 0	9+	0 0 0	9+	0 0 0	-10	1 1 1
$\frac{1}{5} = \frac{1}{(-1)^3} = +17$	-7	0 0 0	+7	0 1 0	+17	1 1 1	-7	0 0 0
61-84-71	-3	0 1 0	+3	0 0 0	-19	1 1 1	-19	1 1 1
()	+5	1 1 1	+5	1 1 1	+5	1 1 1	+5	1 1 1
-15 - (-9) = -6	9-	1 1 1	9+	0 0 1	9-	1 1 1	9-	I I I
-13 - 5 = -18	81	0 1 0	+8	0 0 0	8-	0 1 0	-18	1 1 1
8 - (-16) = +14	+2	0 1 0	+2	0 1 0	+14	1 1 1	+5	0 1 0
-5 - +11 = -16	9+	0 0 0	9+	0 0 0	-16	1 1 1	-16	1 1 1
1 = 10 = -9	6+	0 0 1	6+	0 0 1	6-	1 1 1	6-	1 1 1

Rule 16: The student subtracts the smaller absolute values from the larger absolute value and takes the sign of the number with the larger absolute value in his/her answer.

Rule 32: The two numbers are always subtracted as seen in Rule 16 but the + sign is always taken in the answers.

Rule 12: The student converts -2 - 8 and -13 - 5 into -2 + 8 and -13 + 5, respectively, but the other eight items are converted to addition problems correctly. Then the right addition rule is used to answer them.

Rule 46: The student has a strange idea about the parentheses. Converts operation sign, -, to +, first. Then he/she follows the rule: if the signs of the two numbers are minus, then change the sign of the second number to a +; if the signs of the two numbers are not alike, then the sign of the second number becomes a minus.

^{*}R Regular Scores

^{*}S Sign-Component Scores

Absolute-Value-Component-Scores

Suppose a_{1j} , b_{1j} , $j=1,2,\ldots$, n be item parameters of the logistic model estimated by the maximum likelihood procedure obtained from absolute value component patterns and a_{2j} , b_{2j} , $j=1,2,\ldots$, n be item parameters estimated from sign components patterns. In other words, two binary data matrices, (y_{1j}^a) and $y_{1j}^s)$ which are obtained by component scoring procedures, are used to estimate the item parameter and for calculating SECI' and T_i (or $T(\theta_i)$ of the two components for each subject i. Thus, each subject's two component response patterns correspond to two ordered pairs: $(T_i^a$, SECI4 $_i^a$) for the absolute value and $(T_i^s$, SECI4 $_i^s$) for sign. Table 2 provides these ordered pairs for the four rules given in Table 1.

Insert Table 2 about here

An illustration of rule space with signed-number subtraction problem data.

A 40-item free-response test that comprises four parallel subtests of 10 items each in signed-number subtraction problems was administered to 172 eighth graders at a local junior high school (referred to as "Test 6" hereafter; more tests to be introduced later). The traditional scoring of right or wrong answers was decomposed into a two-component scoring procedure for the absolute-value and sign parts of the responses. Thus, the signs of the responses to the 40 items were scored right or wrong and so were the absolute values. The two component-response patterns are subjected separately to the estimation of item and person parameters of the two-parameter logistic model. The item parameters estimated by the maximum likelihood procedure are listed in Appendices I and II. Twenty complete erroneous rules that are often observed (at least 3 different students used them) are selected for this

Table 2 The Values of $(T_i^a, SECI4_i^a)$ and $(T_i^s, SECI4_i^s)$, the Ordered Pairs of True Score and Standardized Extended Caution Index for the Four Rules given in Table 1

Rules	т <mark>а</mark> і	SECI4 ^a	T ^s	SECI4 ^s
Rule 16	.2966	-3.1570	.4488	-3.2816
Ru1e 32	.2966	-3.1570	•4555	2.4860
Rule 12	.7522	-2.6485	.8791	.2196
Rule 46	.7644	.0833	.8227	1.6241


study (Tatsuoka & Tatsuoka, 1981) and their component values of the rule space are calculated and listed in Appendix III.

These values of T_i^a , Γ_i^s , $SECI4\frac{a}{i}$ and $SECI\frac{s}{i}$ for all students in the dataset as well as those for the twenty erroneous rules (Tatsuoka & Tatsuoka, 1981) are mapped into the rule space. Figure 1 shows a subspace whose coordinates are T_i^a and T_i^s . As has been mentioned earlier, a rule space is defined as a geometric representation of the rules (including the right rule and inconsistent application of two or more rules) used by the students.

Insert Figure 1 about here

Twenty small circles (o) in Figure 1 represent twenty different erroneous rules while the plus signs (+) stand for the student's responses to the 40 items. If the student responds to the 40 items by applying one of the twenty erroneous roles consistently, then his/her point should coincide with the circle representing the rule. There are two such points "G" in Figure 1. Most points do not show overlap, but some real responses are located in the vicinity of a rule.

Tatsuoka and Baillie (1982) generated data which simulate responses resulting from inconsistent application of a rule. One or two out of the 40 items do not follow a given erroneous rule and thus the component response patterns do not completely match the patterns produced by the erroneous rule. Twenty sets of simulation data based on the twenty different rules were generated and plotted on the space spanned by both the component true scores in Figure 2. Rules 16, 32, 12 and 46 and their simulated responses which cluster around corresponding rules are not separated well from each other in Figure 2. As can be seen in



Plot of True Score for Absolute Value Component Against Sign Component, Real Data ("+") and Erroneous Rules ("0"). Figure 1:

Figure 1, Rules 16 and 32, and 12 and 46 are already very close, respectively.

Insert Figure 2 about here


But, when plotted in terms of the sign true score against the standardized ECI4s obtained from the sign-component scores, four distinctly different clusters are formed in this space as shown in Figure 3a. In a similar figure, Figure 3b, the absolute vlue true score is plotted against the ECI4a, showing rules 12 and 46 distinctly separated.


Insert Figures 3a & 3b about here

It is apparent that the values of ECIs are capable of separating response patterns that have very close true scores or the same total scores.


Pattern Classification

In the previous section, Figure 3 showed the four erroneous rules (described in Table 1) and the non-consistent responses neighboring each of them forming four distinctly different clusters. By calculating a linear classification functions for each of the four clusters and setting the boundaries to divide the four regions, it is possible to classify the misconception underlying a new response by examining the region in which the new response falls -- with some probability of misclassification, of course. This is the traditional procedure for pattern classification and recognition problems to determine the category to which a new stimulus belongs (Fukunaga, 1972). Thus, we have transformed our problem, diagnosing an individual students' misconceptions, into a classification problem. Tatsuoka and Baillie have developed a computer program named SIGNBUG for diagnosing erroneous rules in signed-number arithmetic tests, but the logic of the algorithm









is deterministic; therefore, if a student responds to an item without using a specific rule, then SIGNBUG cannot determine the rule.

As shown in Figures 2 and 3, the component response patterns yielded by using an erroneous rule consistently for the test items and the responses resulting from random "slips" of one or two items form a cluster; this is a nice feature of the rule space. An error theory that can handle response variability becomes applicable to our model. Since all erroneous rules that have been discovered so far in signed number arithmetic are represented by their unique component response patterns of absolute value and sign, these rules correspond to different ordered pairs of $(T_k^a, SECI4^a)$ and of $(T_k^s, SECI4^s)$, k=1...K. If each cluster of the erroneous rules could be separated from the rest of the clusters by a hyperplane in the four dimensional rule space of signednumber subtraction problems, then diagnosis of the responses resulting from random "slips" around a rule will be given by examining in which region (divided by the hyperplanes) the responses fall. This approach often is called "pattern classification." With the probabilistic approach of rule space and pattern classification it is possible to remedy the weakness of the deterministic approach taken in SIGNBUG without losing s strength.

In this paper, the classification boundaries of 20 clusters neighboring the 20 erroneous rules of signed-number subtraction problems are shown. The list of the 20 rules plotted in Figure 4 and their descriptions are given elsewhere (Tatsuoka & Tatsuoka, 1981), and Figure 5 shows the 20 clusters around the 20 rules. A stepwise discriminant analysis (BMDP74) was used to determine the classification functions and Table 3 supportizes the results.

Insert Figures 4 & 5 about here

Insert Table 3 about here

Nineteen of the rules are perfectly classified, without any error of classification, and only rule (45) has one out of the 31 samples misclassified. Four independent variables -- absolute value, and sign true scores, and SECI4 for absolute value and signs -- were used in the analysis.

Data Analysis

Changes of responses over time for individual students. The 40-item open-ended test for subtraction problems of signed number arithmetic was administered four times to the students in a local junior high school in 1981. The first test was administered before instruction on the subject was given to the eighth graders and is referred to as "Test 3." The instruction (lessons) were written on the computer-based eduction system (PLATOR) at the University of Illinois. The lessons are each almost one hour long. Two different instructional methods -- one based on the number line and the other, which relies heavily on verbal ability, using the postman stories (Davis, 1964) -- are given to two randomly selected groups. We will refer to the number line group as Group 1 and the postman group as Group 2 hereafter.

The second test (Test 4) was administered after the students completed the two PLATO lessons. Subsequently, a regular class teaching subtraction skills was held. The teachers adopted a method using verbal rules (described in Birenbaum & Tatsuoka, 1980; Tatsuoka, 1981) and drilled the students for two weeks. Although they referred to the number line method in a systematic way, they did not mention the postman stories at all. After two weeks of classroom instruction, the third test (Test 5) was




Figure 4: Twenty Erroneous Rules of Signed-Number Subtraction Problems




Figure 5: Twenty Clusters of the Responses Neighboring the Twenty Rules

Table 3

45 46	0 0	0 0	0 0	0 0	0 0	0 0	c														3
38 7	0	0	0	0	0	0	0		0	0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	31	• •	
37	0	0	0	0	0	0	0		0	0 0	0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
34	0	0	0	0	0	0	0		0	0 0	0 0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
32	0	0	0	0	0	0	0		0	0 0	0 0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0	311	313000000000000000000000000000000000000
30	0	0	0	0	0	0	0		0	0 0	0 0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	31	31	0 0 0 0 0
25	0	0	0	0	0	0	0		0	0 0	0 0 0	0 0 0	0 0 0 0	0 0 0 0 31	0 0 0 0 0 0	31	31	31	311 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0
22	0	0	0	0	0	0	0	c)	0	0 0	000	0 0 0 31	0 0 0 0 0 0	0 0 0 0 0 0	31	311	31	31	311	31
e 21	0	0	0	0	0	0	0	C	>	0	0 0	0 0 331	0 0 311	31	31	311	311	311	311 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	311
Ru 16 18	0	0	0	0	0	0	0	0)	0	0 31	31	31	31	31 0 0 0 0	31 31 0	311	31	31 31 0	311	31
17	0	0	0	0	0	0	0	0		31	31	31 0	31 0	31 0 0 0	31 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31	31	31	31	31
16	0	0	0	0	0	0	0	31		0	0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0
15	0	0	0	0	0	0	31	0		0	0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
13	0	0	0	0	0	31	0	0		0	0 0	0 0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	
12	0	0	0	0	31	0	0	0		0	0 0	0 0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
11	0	0	0	31	0	0	0	0		0	0 0	0 0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
7	0	0	31	0	0	0	0	0		0	0 0	0 0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 7 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
9	0	31	0	0	0	0	0	0		0	0 0	0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
m	31	0	0	0	0	0	0	0		0	0	0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0	000000000	0000000000	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
Correct	100	100	100	100	001	100	100	100		100	100	100 100 100	100 100 100	100 100 100 100	100 100 100 100	100 100 100 100 100	100 100 100 100 100 100	100 100 100 100 100 100 100	100 100 100 100 100 100 100	100 100 100 100 100 100 100 100	100 100 100 100 100 100 100 100 100 100
Rule	3	9	7	11	12	13	15	16		17	17	17 18 21	17 18 21 22	17 18 21 22 25	17 18 21 22 25 30	17 18 21 22 25 30	17 18 21 22 25 30 34	17 18 21 22 25 25 30 32 37	17 18 21 22 25 30 30 37 37	17 18 21 22 25 30 32 34 37 45	17 18 21 22 25 30 33 34 45 45

administered. The fourth test (Test 6) was given after the students completed multiplication and division of signed numbers. Test 6 was mentioned earlier.

Since the 40-item test is composed of four parallel subtests of ten items, the comparison of errors committed by the student across the four subtests can be carried out by plotting the responses to the ten items four times in the rule space obtained by the 10-item subtest. That is, the student's responses to the 40 items yield 4 points, each of which corresponds to one of the four parallel subtests. Table 4 shows the component values of the rules space for two students A and B. T_{A1} , T_{A2} , T_{A3} and T_{A4} are obtained by averaging estimated logistic probabilities $P_j(\theta_A)$ over 10 items in each subtest,

$$T_{AK} = \frac{1}{10} \sum_{j=1}^{10} P_j(\theta_A), K=1,2,$$

ECI4_{Al-4} are calculated by using 10 items in each subtest. Thus, four sets of two ordered pairs are obtained from Student A's responses to the four parallel subtests. Note that the coordinates of the plots in Figure 1 are based on 40 items, but the coordinates of the points in Figure 6 are obtained from 10 items. Student A studied the number line method (Group 1) and student B studied the postman stories (Group 2). Their performances on the four subtests are shown in Table 4. Interpretation of the changes made by Students A and B across the four subtests, over the four different stages of learning designated by Tests 3 through 6 are summarized in Appendix IV. Their rule space representations are given in Figures 6 and 7.

Insert Table 4 about here

Insert Figures 6 & 7 about here

The Performances by Students A and B on the Four Subtests of Tests 3, 4, 5, and 6 Table 4

	btest 1
Test 4	Test 3 Test 4
A B	
14	-2 14
2	-2 2
6-	6- 6-
6-	
2	2 2
6- 6-	6-
-9 -1	
2 1	- 2 2 1
13 –1	-15 13 -1
6	-10 9


	Test '	H.	-13 9	9 -19	-12 17	-9 -21		-12 2	-2 -16	9 17	2 -10	6
Subtest 4	Test 3	A B	-9 -13	9 -19	-2 -3	6- 6-	2 2	-2	-2 -2	6 6	2 3	9 -10
· SI		Item	1	505 - 14	52. 6 - (-8)			567 - (-5)	-9		614 - +6	64. 4 - 13
	Test 4	A B	2 2	2 -10				-13 -9		, 11 11	2 -16	6- 6
Subtest 3	Test 3	A B	-2 -8	2 -2	-2 -12	6- 6-	2 2	6- 6-	6- 6-	6 6	2 3	9 -10
		Item	333 - (-5)	344 - 6	36. 5 - (-7)	3814 - +5	39. 4 - 2	4011 - (-2)	4113 - 4	44. 10 - (-1)	457 - +9	48. 7 - 16

(cont.)


able 4 (cont.

	Test 6	A B	6 6	-18 -18	17 17	-16 -16	3 3	9- 9-	8- 8-	10 10	-15 -15	
Subtest 2	Test 5	A B	9 -13		17 -17			-6 -26			-15 -7	-18 18
		Item						2416 - (-10)				
	Test 6	A B	7 7	-10 -10	17 17	-19 -19		9- 9-				6- 6-
Subtest 1	Test 5		4 -10					76 - 9-			116	-9 11
		Trom	1 -3 - (-7)	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	2. =2 = 0 / 5 = (=12)	4.) - (-12.)	611 - 70 7 0 - 7	0 -15 - (-0)	012 - 5	9. L1J - 9. c	2. 0 - (-0) 3 -5 - +11	6. 1 - 10

	Test 6	A B	6 6	-7 -19	11 11	-21 -21	2 2	14 -4	-12 -12	17 17	-15 -15	-8 -8
Subtest 4	Test 5	A B	-	-19 7	11 -2	-21 -11		-4 -14	-124	17 7	-15 1	-8 20
		Item							и 8			. 6 – 14
			67	50	52	54	55	56	57	09	61.	79
	Test 6	В	9	-12	13	8 1	· 67	6-	1 8	12	-14	81
	Te	A	9	-12	13	-18	, (100	-18	12	-14	18
rest 3	Test 5	В	-10	-12	1 1	י ו	<u>-</u>	-17	2 2	2	2	18
Subtes	Te	A	٤	-12	13	1 2 2	7 ~	י ס	1 2 2	12	-2	8
		Item	23 -2 - (-8)	372 - 0,	34. (-0)	30 + - (-2)	30. 02. 5	59. 0 = 5 40 = 12 = (=4)	4015 - (-+)	4I: 15 3	/t \ T T +44.	48. 5 – 13



Plot of Student A's Performance Over Tests 3, 4, 5, and 6, Numbered 1, 2, 3, and 4, respectively Figure 6:



Plot of Student B's Performance Over Tests 3, 4, 5, and 6, Numbered 1, 2, 3, and 4, Respectively Figure 7:

The progress shown by student A over the four tests is normal because his average points obtained on the four subtests (marked by "o") in each of the four tests (Tests 3 through 6) gradually moved toward the top-right corner of Figure 6. The use of the right rule is designated by the point (1,1) at the top right corner. Variation of the four points in a test is due to the variability of responses as well to sampling errors. Since each wave of subtests consists of ten carefully chosen parallel items, if performance on the test is perfectly consistent over the four subsets, then the estimated parameter should be identical for 4 parallel items. But actual data used for estimating the item and person parameters by the maximum likelihood procedure of the two parameter logistic model was not so. Therefore, the four points of the four tests do not coincide perfectly as a single point. For example, student A produced identical responses for the first wave of subtests in Tests 3 and 4. Yet, the points that appeared in Figure 4 are slightly different. Also, the performances on the second, third and fourth subtests of the first test are identical, committing the same erroneous rules, but the points designating these responses are slightly different; l_2 , l_3 , and l_4 as shown in the figure.

Student B mastered the computational satistically well after he studied the PLATO lessons (postman stories). After the class, however, his performance was affected by the different teaching methods and he displayed confusion when converting subtraction operations into addition operation. The postman-stories approach does not teach the steps in converting subtraction to addition in a step-by-step fashion as the teacher's verbal rules do. Thus his errors (diagnosed by our computer

program SIGNBUG) clearly showed that he did carry out newly converted addition problems correctly (the verbal rule is first to change the operation sign of "-" to "+" and then to change the sign of the second number), but incorrectly converted subtraction into addition problems. Changes of responses at different points in time


Figures 8 through 11 are plots of the responses made by all students who took Tests 4 through 6. The coordinates of the plots in the figures are the true scores (Lord and Novick, 1968) of the two components scores, absolute values and signs. The trend of changes in the points of the four tests is clear: As the stages of learning advance toward mastery of the right rule, the cluster moves toward the right top corner [(1,1) represents the use of the right rule] of the space spanned by two component true scores. The points from Test 5 in Figure 9 cluster most closely to the point (1,1), the right rule.

Insert Figures 8, 9, 10 & 11 about here


But the points from Test 6 in Figure 11 are no longer clustering as closely to the top right corner of the space as the points of Test 5 are. Learning new materials (i.e., multiplication and division of signed numbers) after the completion of the subtraction unit affected the performances on Test 6.

Summary and Discussion


This study introduced a probabilistic model utilizing item response theory for dealing with a variety of misconceptions. The model can be used for evaluating the transition behavior of error types, advancement of learning stages, or the stability and persistence of particular misconceptions. Moreover, it can be used for relating the



Plotting of All Students Participating in the Experiments (Test 3, Postman Stories "o" and Number Line Groups "+"). Figure 8:



Plotting of All Students Participating in the Experiments (Test 4, Postman Stories "o" and Number Line Groups "+"). Figure 9:



Plotting of All Students Participating in the Experiments (Test 5, Postman Stories "o" and Number Line Groups "+"). Figure 10:




Figure 11: Plotting of All Students Participating in the Experiments (Test 6, Postman Stories "0" and Number Line Group: "+").

"behaviors" of errors to other criterion measures such as creativity, anxiety and motivation.

One of several personal indices based on item response theory was used to formulate "rule space" which is a geometric representation of erroneous rules of operation. The index in question, ECI4, which is used primarily for detecting aberrant response patterns, has proved to be effective for separating clusters of response patterns from one another.

Each cluster comprises the response patterns yielded by some rule and its "slips" -- due to partially consistent application of that rule. The model enables us to apply pattern classification techniques to distinguish a cluster of response patterns around an erroneous rule from other clusters. Thus, the probability of misclassification should be obtainable. However, rigorous investigation along this line is left for subsequent investigation.

The examples in this study only suggest how the rule space approach works and the results of further statistical analyses are not discussed.

Appendix 1

Values of Discriminating Index âs, Difficulties bs Obtained from Test 6, Subtraction Problems: Absolute Value Scoring

۶e	-2.280	-,556	524	656	-1.812	-2.336	407	684	738	-1.932
' a	7464	1.697	1.959	1.620	.652	.433	1.449	1.471	1.514	.442
item	649	50.	52.	54.	55.	56.	57.	.09	61	. 49
ئ	-2.160	439	454	592	-1.582	-2.573	522	667	703	16609 -1.718 32666 -1.664 48446 -1.726 64442 -1.932
'e	.592	1.416	1.481	2.527	.619	.454	1.281	1.409	1.389	977.
item	33.	34.	36.	38.	39.	40.	41.	44.	45.	48.
Sc	-1.925	660	635	429	-2,352	-2.172	413	917	642	-1.664
(ع	.574	.962	1.420	2.524	.486	.402	2.031	1.476	1.934	999.
item	17.	18.	20.	22.	23.	24.	25.	28.	29.	32.
اعک	-4.729	830	579	779	-1.992		475	581	660	-1.718
\c	.277	1.099	1.409	686.	.574		1.248	1.277	2.042	609*
iten		~ 1	• •†	Ď.	7.	∞	9.	12.	13.	16.

Appendix II

Values of Discriminating Index as, and Difficulties bs Obtained from Test 6, Subtraction Problems: Sign Scoring

9	913	851	786	-1.993	-4.288	-1.516	-1.499	-2.355	827	.578
۵>	1.356	1.255	1.762	.755	.286	.824	1.075			
item		50.	52.	54.	55.	56.	57.	.09	61.	. 49
ço	974		924	-1.839	-5.580	-1,961	-2.444	-1.809	673	503
	1.202	1.231	1.739	.871	.277	.684	.557	668.	1.210	.877
item	33.	34.	2 36. 1	38.	39.	.04	41.	. 44.	45.	48.
φ.	-1.115	86	-1.05	-2.38	-9.89	-1,993	-2.843	-1.651	836	544
\d	1.280	.987	2.031	689.	.144	.629	.459	1.097	1.400	1,064
item	17.	18.	20.	22.	23.	24.	25.	28.	29.	32.
Þ	-1.099	•	-1.080	-2.494		-2.066	-2.244	-2.302		
<α	1. 1.172	.661	2.259	979.		.812	.667	797.	1.206	1.202
item	1.	2.	4.	. 9	7.	&	9.	12.	13.	16.

Appendix III

Coordinates of the 20 Erroneous Rules in the Rule Space for a 40-item

Signed-Number Subtraction Test

Rule	Component	True Scores	SECI	Component* Response Patterns	θ
3	absolute	.7084	3.3315	0101101011	3550
	sign	.7510	1.3322	0101111111	5516
6	absolute	.4761	2.9877	0100101001	8889
	sign	.6486	1234	0101111101	8726
7	absolute	.3987	6.3432	0100001000	-1.1116
	sign	.5291	-2.3331	0101111100	-1.1457
11	absolute	.6837	.6337	1011010110	4124
	sign	.7843	-2.6399	1011111110	4322
12	absolute	.7522	-2.6485	1011110111	2459
	sign	.8791	.2196	1011111111	.0117
13	absolute	.4488	1.5525	1010010100	9617
	sign	.6818	-2.7285	1011111100	7733
15	absolute	.6591	3.0325	1110011100	4681
	sign	.7836	-2.4379	1111111100	4349
16	absolute	.2966	-3.1570	1000110001	-1.5288
	sign	.4488	-3.2816	0001111100	-1.4754
17	absolute	.2966	-3.1570	1000110001	-1.5288
	sign	.6818	-2.7285	1011111100	 7733
18	absolute	.2966	-3.1570	1000110001	-1.5288
	sign	.8791	.2196	1011111111	.0117
21	absolute	.8338	3.4064	0111001110	.0051
	sign	.6584	3.9372	0101011011	8436
22	absolute	.2966	-3.1570	1000110001	-1.5288
	sign	.6584	3.9372	0101011011	8436
25	absolute	.2006	.8670	0000100001	-2.2077
	sign	.5457	-1.4002	0001111101	-1.1738
30	absolute	.2966	-3.1570	1000110001	-1.5288
	sign	.7664	-1.5839	0111111110	4978
32	absolute	.2966	-3.1570	1000110001	-1.5288
	sign	.4555	2.4860	1010100100	-1.4534
34	absolute	.4488	1.5525	1010010100	9617
	sign	.7664	-1.5839	0111111110	4978
37	absolute	.4891	1.5936	1001010010	~. 8558
	sign	.3837	.8349	0100111000	-1.7053
38	absolute	.7084	3.3315	0101101011	 3550
	sign	.4488	-3.2816	0001111100	-1.4754
45	absolute	.2966	-3.1570	1000110001	-1.5288
	sign	.5186	-1.7692	1001101100	-1.2549
46	absolute	.7644	.0833	1101111011	2133
	sign	.8727	1.6241	1101111111	0265

^{*}Since the test consists of four parallel tests (i.e., each task has four parallel items), the response patterns of the first ten items are given here.

Appendix IV

Stories of Student A and B's performances on the Four Different Learning Stages

Student A

Pretest (Test 3): He studied the number line method written the PLATO system for about an hour in January, 1980 when he was in the seventh grade. He had not been exposed to any kind of instruction related to signed numbers before. In September of 1980, he took a 64-item signed number test along with 40 other eighth graders before a revised version of the number line lesson on the PLATO system was given. His diagnosed rules are as follows:

- Subtest 1 -- His rule for taking an absolute value in the answer was to always subtract the smaller number from the larger number. His rule for taking a sign in the answer was to take the sign of the larger number. However, his application of the rule is only consistent to items 2, 4, 6, 7, 8, 9, 12, 13 and 16, as shown in Table 2.
- Subtest 2 -- His application of the rule described above became consistent to all the items in a test.
- Subtest 3 -- His rule was the same as that used in Subtest 2
- Subtest 4 -- llis rule was the same as that used in Subtest 2

The test after the PLATO lesson (1 hour) was given (Test 4):
Test 4 was administered to Student A after he studied a number line lesson on the PLATO system.

- Subtest 1 -- le still subtracted the smaller number from the larger number and took the sign of the larger number for the items described in Subtest 1 of the pretest (items 2, 4, 6, 7 8, 9, 12, 13 and 16).
- Subtest 2 -- He used basically the same rule but applied it to different subsets of items for both the sign and the absolute value operations.
- Subtest 3 -- Ild suddenly changed his rule to a new one. If the first number was smaller in absolute value, he subtracted the smaller number from the larger ... er. If the first number was larger in absolute value, then he added the two numbers. He used this rule for 8 items (all except for the L-S and S-L types). His performance of the sign operation was inconsistent and undetermined.
- Subtest 4 -- Ilis rule changed again. This time he changed the operation sign "-" to "+" and applied the right addition rule to items having explicit signs in the second number.

The tests after 2 weeks of classroom instruction was administered. (Test 5):

Classroom instruction started with an explanation of the concept of the number line. After students mastered the addition skills based on the number line method, the teachers switched their instruction to the use of verbal rules (Birenbaum & Tatsuoka, 1980; Chaiklin, 1982). Therefore, subtraction problems are taught by the use of the verbal rules.

- Subtest 1 -- He learned to use the right rule.
- Subtest 2 -- He applied the right rule consistently for taking the absolute value to the items having explicit signs in the second numbers. He used the correct sign for all items.
- Subtest 3 -- In the second subtest, he used the right rule consistently when taking the signs in the answers for all items.

 Taking the absolute values was done correctly for a subset of the items (items with parentheses and L-S, S-L types).
- Subtest 4 -- He used the right rule for all items.

The test after 2 weeks of classroom instruction was completed (Test 6):

- Subtest 1 -- He used the right rule for all items except #12.
- Subtest 2 -- He applied the right rule successfully to all the items.
- Subtest 3 -- The result was the same as in Subtest 2.
- Subtest 4 -- He used the right rule for a subset of items, except items 50 and 56.

Student A's performances are plotted into Figure 6.

Student B

Pretest (Test 3): She studied postman stories written on the PLATO system for about an hour in January 1980. She had not been exposed to any kind of instruction related to signed numbers. At the beginning of the 1980-81 fiscal year she took a 64-item signed-number test along with 40 other eighth graders before the revised version of postman stories was given to her class. Her diagnosed rules are as follows:

Subtest 1 -- Her rule for taking an absolute value in the answer was undetermined. The signs of her answers for the items which don't have parentheses are yielded by the right rule. The random nature of her answers suggest she was not sure what she should do with the parentheses.

- Subtest 2 -- Her rule for taking an absolute value in the answer was undetermined. She used the right rule for items whose signs of the second number were not explicitly written (hidden sign).
- Subtest 3 -- Her rule for taking an absolute value in the answer was again undetermined. For the sign part, she changed her rule and completed the subtraction operation by disregarding the step of changing the sign of the second number. Thus, she changed the sign of the operation "-" to "+" and applied the right rule for addition problems to the newly converted addition problems. However, her rule was not applied consistently for the items having hidden signs in the second number.
- Subtest 4 -- Her performance was identical to her performance on Subtest 3.

The test given after 1 hour PLATO lesson was studied (Test 4):

- Subtest 1 -- She applied the right rule to the items with parentheses and L-S, S-L types.
- Subtest 2 -- She used the right rule for taking an absolute value and obtained the right answers for the items with the parentheses and L-S, S-L types. But the rule for taking signs to the answers was not consistent so the rule was undertermined.
- Subtest 3 -- She answered all 10 items with the right rule.
- Subtest 4 -- She used the right rule for nine items except for -L (-S) type. Her error is due to mistyping a sign in the answer.

The test after the classroom instruction (2 weeks) was given (Test 5):

- Subtest 1 -- ller rule regressed. She did not change the sign of the second number at all. Instead, she changed the operation sign "-" to "+" and consistently applied the right rule for items having explicit signs in the second number. second numbers.
- Subtest 2 -- She used the same rule described above. But the rule of taking an absolute value in the answer was not consistent but her sign operation was consistent for the items whose signs were explicit in the second number.
- Subtest 4 -- Her performance was identical to the performances on Subtest 3.

The test given after multiplication and division of signed numbers (Test 6): She applied the right rule repeatedly over the four subtests and answered correctly for all 40 items in the test. This student's performance is shown in Figure 7.

References

- Anderson, N. H. Methods for studying information integration (Technical Report CHIP42). La Jolla, Cal.: University of California at San Diego, Center for Human Information Processing, 1974.
- Anderson, N. H. Foundation of Information Integration Theory. New York: Academic Press, 1981.
- Birenbaum, M., & Tatsuoka, K. K. The use of information from wrong responses in measuring students' achievement (Research Report 80-1-0NR). Urbana, Ill.: University of Illinois, Computer-based Education Research Laboratory, 1980. (AD A097715)
- Birenbaum, M., & Tatsuoka, K. K. On the dimensionality of achievement test data. Journal of Educational Measurement, 1982, 19(4), 259-266.
- Birenbaum, M., & Tatsuoka, K. K. The effect of a scoring system based on the algorithm underlying the students' response patterns on the dimensionality of achievement test data of the problem solving type. Journal of Educational Measurement, 1983, 20, 000-000.
- Davis, R.B. The Madison Project, discovery in mathematics; a text for teachers. Reading, Mass.: Addison-Wesley, 1964.
- Davis, R. B., & McKnight, C. The influence of semantic content on algorithmic behavior. The Journal of Mathematical Behavior, 1980, 3, 39-87.
- Drasgow, F. Choice of Test Model for Appropriateness Measurement. Applied Psychological Measurement, 1982, 6, 297-308.
- Fukunaga, K. Introduction to statistical pattern recognition. Academic Press, New York, 1972.
- Harnisch, D., & Tatsuoka, K. K. A comparison of appropriateness indices based on item response theory. In Hambleton (Ed.), Applications of item response theory. Vancouver: ERIBC, 1983.
- Levine, M. V., & Rubin, D. B. Measuring the appropriateness of multiple-choice test scores. <u>Journal of Educational Statistics</u>, 1979, 4, 269-290.
- Lord, F. M. Application of item response theory to practical testing problems. Hillsdale, N. J.: Erlbaum, 1980.
- Sord, F.M., & Novick, M.R. Statistical theories of mental test scores. Reading, Mass.: Addison-Wesley, 1968.

- Siegler, R. S. Three aspects of cognitive development. Cognitive Psychology, 1976, 8, 481-520.
- Siegler, R. S. The origins of scientific reasoning. In R. S. Siegler (Ed.), Children's thinking: What develops? Hillsdale, N. J.: Erlbaum, 1978.
- Tatsuoka, K. K. An approach to assessing the seriousness of error types and predictability of future performance. (Research Report 81-1-ONR). Urbana, Ill.: University of Illinois, Computer-based Education Research Laboratory, February 1981.
- Tatsuoka, K. K., & Baillie, R. SIGNBUG: An error diagnostic computer program for signed-number arithmetic on the PLATOR system, 1982a.
- Tatsuoka, K. K., & Baillie R. Rule space, the product space of two score components in signed-number subtraction: An approach to dealing with inconsistent use of erroneous rules (Research Report 82-3). Urbana, Ill.: University of Illinois, Computer-based Education Research Laboratory, 1982b.
- Tatsuoka, K. K., & Linn, R. L. Indices for detecting unusual response patterns: Links between two general approaches and potential applications. Applied Psychological Measurement, 1983, 7(1), 81-96.
- Tatsuoka, K. K., & Linn, R. L. <u>Indices for detecting unusual response</u>

 patterns: Links between two general approaches and potential

 applications (Research Report 81-5-ONR). Urbana, Ill.: University
 of Illinois, Computer-based Education Laboratory, August 1981.
- Tatsuoka, K. K., & Tatsuoka, M. M. Spotting erroneous rules of operation by the individual consistency index (Research Report 81-4-ONR).

 Urbana, Ill.: University of Illinois, Computer-based Education Research Laboratory, 1981.
- Tatsuoka, K. K., & Tatsuoka, M. M. Detection of aberrant response patterns.

 Journal of Educational Statistics, 7(3), 215-231, 1982a.
- Tatsuoka, K. K., & Tatsuoka, M. M. Standardized extended caution indices and comparison of their error detection rates (Research Report 82-4-ONR).

 Urbana, Ill.: University of Illinois, Computer-based Education Research Laboratory, March 1982b.
- Tatsuoka, K. K., & Tatsuoka, M. M. Spotting erroneous rules of operation by the individual consistency index. <u>Journal of Educational</u> <u>Measurement</u>, 1983, 20(3), 221-230.
- VanLehn, K. Empirical studies of procedural flaws, impasses, and repairs in procedural skills (Technical Report ONR-8). XEROX, Palo Alto Research Center, March 1982.

- Wilkening, F., & Anderson, N. H. Comparison of two rule-assessment methodologies for studying cognitive development and knowledge structure. Psychological Bulletin, 1982, 92(1), 215-237.
- Wright, B. D., & Stone, M. H. <u>Best test design, Rasch Measurement.</u>
 Chicago: The University of Chicago, Mesa Press, 1977.

Distribution List

Navy

- Dr. Ed Aiken
 Navy Personnel R&D Center
 San Diego, CA 92152
- Dr. Arthur Bachrach
 Environmental Stress Program Cntr.
 Naval Medical Research Institute
 Bethesda, MD 20014
- 1 Meryl Baker
 NPRDC
 Code P309
 San Diego, CA 92152
- Liaison Scientist
 ONR, Branch Office
 Box 39
 FPO New York, NY 09510
- I Lt. Alexander Bory
 Applied Psychology
 Measurement Division
 NAMRL
 NAS Pensacola, FL 32508
- Dr. Robert Breaux
 NACTRAEQUIPCEN
 Code N-095r
 Orlando, FL 32813
- Dr. Robert Carroll
 NAVOP 115
 Washington, DC 20370
- Chief of Naval Education
 Liasan Office
 Air Force Human Resource Lab
 Operations Training Division
 Williams AFB, AZ 85224
- Dr. Stanley Collyer
 Office of Naval Technology
 800 N. Quincy St.
 Arlington, VA 22217
- CDR Mike Curran
 Office of Naval Research
 800 N. Quincy St.
 Code 270
 Arlington, VA 22217

- Dr. Tom Duffy
 Navy Personnel R&D Center
 San Diego, CA 92152
- Mike Durmeyer Instructional Program Develoment Building 90 NET-PDCD Great Lakes NTC, IL 60088
- 1 Dr. Richard Elster Department of Admin. Scie. Naval Postgraduate School Monterey, CA 93940
- Dr. Pat Federico Navy Personnel R&D Center Code P13 San Diego, CA 92152
- Dr. Cathy Fernandes
 Navy Personnel R&D Center
 San Diego, CA 92152
- Dr. John Ford
 Navy Personnel R&D Center
 San Diego, CA 92152
- 1 Dr. Jim Hollan
 Code 14
 Navy Personnel R&D Center
 San Diego, CA 92152
- Dr. Ed Hutchins
 Navy Peronnel R&D Center
 San Diego, CA 92152
- Dr. Norman Kerr
 Chief of Naval Technical Training
 Naval Air Station Memphis (75)
 Millington, TN 38054
- Dr. Peter Kincaid
 Training Analysis & Eval. Group
 Department of Navy
 Orlando, FL 32813
- R. W. King
 Director, Naval Ed. & Training
 Department of the Navy
 Orlando, FL 32813

- Dr. Leonard Kroeker
 Navy Personnel R&D Center
 San Diego, CA 92152
- Dr. William L. Maloy (02)
 Principal Civilian Advisor for
 Education and Training
 Naval Training Command, Code 00A
 Pensacola, FL 32508
- Dr. Kneale Marshall
 Chairman, Operations Res. Dpt.
 Naval Post Graduate School
 Monterey, CA 93940
- l Dr. James McBride Navy Personnel R&D Center San Diego, CA 92152
- Dr. William Montague
 Navy Personnel R&D Center
 Code P13
 San Diego, CA 92152
- Dr. William Nordbrook
 1032 Fairlawn
 Libertyville, IL 60048
- 6 Personnel & Training Research Programs
 (442 PT)
 Office of Naval Research
 Arlington, VA 22217
- Special Asst. for Ed &
 Training (OP-01E)
 Rm. 2705 Arlington Annex
 Washington, DC 20370
- Lt. Frank C. Petho, MSC, USN, Ph.D. CNET (N-432)
 NAS
 Pensacola, FL 32508
- Dr. Bernard Rimland (01C)
 Navy Personnel R&D Center
 San Diego, CA 92152
- l Dr. Carl Ross
 CNET-PDCD
 Building 90
 Great Lakes NTC, IL 60088

- Dr. Worth Scanland, Director
 CNET (N-5)
 NAS
 Pensacola, FL 32508
- 1 Dr. Robert Smith
 ONR
 OP-987H
 Washington, DC 20350
- I Dr. Alfred F. Smode
 Training Analysis & Ev. Grp.
 (TAEG)
 Dept. of the Navy
 Orlando, FL 32813
- Dr. Richard Sorensen
 Navy Personnel R&D Center
 San Diego, CA 92152
- Dr. Frederick Steinheiser
 CNO-OP115
 Navy Annex
 Arlington, VA 20370
- Brad Sympson Navy Personnel R&D Center San Diego, CA 92152
- Dr. Frank Vicino
 Navy Personnel R&D Center
 San Diego, CA 92152
- 1 Dr. Edward Wegman ONR (Code 411S&P) 800 N. Quincy St. Arlington, VA 22217
- 1 Dr. Ronald Weitzman Code 54 WZ Dpt. of Admin. Sci. U.S. Naval Postgrad. Schl. Monterey, CA 93940
- 1 Dr. Douglas Wetzel
 Code 12
 Navy Personnel R&D Center
 San Diego, CA 92152
- Dr. Martin F. Wiskoff
 Navy Personnel R&D Center
 San Diego, CA 92152

- 1 Mr. John H. Wolfe
 Code P310
 Navy Personnel R&D Center
 San Diego, CA 92152
- Dr. Wallace Wulfeck, III Navy Personnel R&D Center San Diego, CA 92152

Army

- 1 Technical Director
 Army Res. Inst.
 5001 Eisenhower Ave.
 Alexandria, VA 22333
- James Baker
 Army Res. Inst.
 5001 Eisenhower Ave.
 Alexandria, VA 22333
- 1 Dr. Kent Eaton Army Research Institute 5001 Eisenhower Blvd. Alexandria, VA 22333
- Dr. Beatrice Farr
 Army Res. Inst.
 5001 Eisenhower Ave.
 Alexandria, VA 22333
- 1 Dr. Myron Fisch1 Army Res. Inst. 5001 Eisenhower Ave. Aexandria, VA 22333 Alexandria, VA 22333
- Dr. Milton S. Katz Training Tech. Area Army Res. Inst. 5001 Eisenhower Ave. Alexandria, VA 22333
- Dr. Harold F. O'Neil, Jr. Army Res. Inst.
 5001 Eisenhower Ave.
 Alexandria, VA 22333
- 1 Mr. Robert Ross Army Res. Inst. 5001 Eisenhower Ave. Alexandria, VA 22333

- I Dr. Robert Sasmor
 Army Res. Inst.
 5001 Eisenhower Ave.
 Alexandria, VA 22333
- Dr. Joyce Shields
 ARI
 5001 Eisenhower Ave.
 Alexandria, VA 22333
- 1 Dr. Hilda Wing
 ARI
 5001 Eisenhower Ave.
 Alexandria, VA 22333

Air Force

- AF Human Resources Lab.
 AFHRL/MPD
 Brooks AFB, TX 78235
- Technical Documents Center AF Human Resources Lab WPAFB, OH 45433
- 1 AF Office of Sci. Res.
 Life Sciences Directorate, NL
 Bolling AFB
 Washington DC 20332
- Air University Libraryf AUL/LSE 76/443 Maxwell AFB, AL 36112
- Dr. Earl A. Alluisi
 HQ, AFHRL (AFSC)
 Brooks AFB, TX 78235
- Mr. Raymond E. Christal
 AFHRL/MOE
 Brooks AFB, TX 78235
- 1 Dr. Alfred R. Fregly
 AFOSR/NL
 Bolling AFB, DC 20332
- Dr. Genevieve Haddad
 Program Manager
 Life Sciences Directorate
 AFOSR
 Bolling AFB,
 Washington, DC 20332

- Dr. T. M. Longridge AFHRL/OTE Williams AFB, AZ 85224
- Dr. Roger Pennell
 AF Human Resources Lab
 Lowry AFB, CA 80230
- Dr. Malcolm Ree
 AFHRL/MP
 Brooks AFB, TX 78235
- 1 3700 TCHTW/TTGHR
 2 Lt Tallarigo
 Sheppard AFB, TX 76311
- Dr. Joseph Yasatuke
 AFHRL/LRT
 Lowry AFB, CO 80230

Marine Corps

- H. William Greenup Education Advisor (E031) Education Center, MCDEC Quantico, VA 22134
- Director, Off. of Manpwr Util. HQ, Marine Corps (MPU) BCB, Bldg. 2009 Quantico, VA 22134
- 1 HQ, Marine Corps Code MPI-20 Washington, DC 20380
- Special Ast. for Marine Corps Code 100M Office of Naval Research 800 N. Quincy St. Arlington, VA 22217
- Dr. A.L. Slafkosky
 Scientific Advisor (Code RD-1)
 HQ, Marine Corps
 Washington, DC 20380
- Major Frank Yohannan, USMC Headquarter, Marine Corps (Code MPI-20) Washington, DC 20380

Civilian Agencies

- Dr. Patricia A. Butler NIE-BRN Bldg., Stop #7 1200 19th St. NW Washington, DC 20208
- Dr. Susan Chipman
 Learning & Development
 NIE
 1200 19th St. NW
 Washington, DC 20208
- 1 Dr. Arthur Melmed 724 Brown US Department of Education Washington, DC 20208
- Dr. Andrew R. Molnar Sci. Ed. Dev. & Res. NSF Washington, DC 20550
- 1 Dr. Vern W. Urry
 Personnel R&D Center
 Office of Personn. Mngmnt.
 1900 E St. NW
 Washington, DC 20415
- 1 Thomas A. Warm
 Coast Guard Inst.
 P.O. Substation 18
 Oklahoma City, OK 73169
- 1 Frank Withrow
 US office of Ed.
 400 Maryland Ave. SW
 Washington, DC 20202
- Dr. Joseph L. Young, Dir.
 Memory & Cognitive Processes
 NSF
 Washington, DC 20550

Other Department of Defense

12 Defense Technical Information Center
 Cameron Station, Bldg 5
 Alexandria, VA 22314
 Attn:TC

- Dr. Craig I. Fields
 Advanced Research Projects Agency
 1400 Wilson Blvd.
 Arlington, VA 22209
- Dr. William Graham
 Testing Directorate
 MEPCOM/MEPCT-P
 Ft. Sheridan, IL 60037
- 1 Jerry Lehnus
 HQ MEPCOM
 Attn. MEPCT-P
 Fort Sheridan, IL 60037
- Military Assistant for
 Training and Personnel Tech.
 Office of the Under Secretary
 of Defense for Res. & Eng.
 Room 3D129, The Pentagon
 Washington, DC 20301
- 1 Dr. Wayne Sellman
 Office of the Astnt. Sec.
 of Defense (MRA & L)
 Room 2B269, The Pentagon
 Washington, DC 20301
- 1 Major Jack Thorpe
 DARPA
 1400 Wilson Blvd.
 Arlington, VA 22209

Private Sector

- Dr. James Algina
 University of Florida
 Gainsville, FL 32611
- Dr. John R. Anderson
 Department of Psychology
 Carnegie Mellon University
 Pittsburgh, PA 15213
- Dr. Thomas Anderson
 CSR
 174 Children's Res. Lab.
 51 Gerty Drive
 Champaign, IL 61820

- Dr. Patricia Baggett
 Dept. of Psych.
 University of Colorado
 Boulder, CO 80309
- 1 Mr. Avron Barr
 Department of Computer Science
 Stanford University
 Stanford, CA 94305
- Dr. Issac Bejar
 Educational Testing Serv.
 Princeton, NJ 08450
- Dr. Menucha Birenbaum
 School of Ed.
 Tel Aviv University
 Ramat Aviv Box 39040
 Tel Aviv 69978
 ISRAEL
- Dr. Werner Birke
 DezWPs im Streitkraefteamt
 Postfach 20 50 03
 D-5300 Bonn 2
 WEST GERMANY
- Dr. Darrel Bock
 Dept. of Ed.
 University of Chicago
 Chicago, IL 60637
- Dr. Walter Bogan 4615 N. Park Ave, no. 1611 Chevy Chase, MD 20015
- Dr. Robert Brennan
 American College Testing Programs
 P.O. Box 168
 Iowa City, IA 52240
- 1 Dr. John S. Brown
 XEROX Palo Alto Res. Cnt.
 3333 Coyote Rd.
 Palo Alto, CA 94304
- Dr. Leigh Burstein
 Dept. of Education
 University of California
 Los Angeles, CA 90024

- 1 Dr. John B. Carroll
 Psychometric Lab
 Univ. of N. Carolina
 Davie Hall 013A
 Chapel Hill, NC 27514
- Dr. William Chase
 Dept. of Psych.
 Carnegie Mellon University
 Pittsburgh, PA 15213
- Dr. William Clancey
 Dept. of Computer Sci.
 Stanford University
 Stanford, CA 94305
- Or. Deborah Coates
 Catholic University
 620 Michigan Ave. NE
 Washington, DC 20064
- Dr. Norman Cliff
 Dept. of Psychology
 U. of S. California
 University Park
 Los Angeles, CA 90007
- Dr. Allan M. Collins
 Bolt Beranek & Newman
 50 Moulton St.
 Cambridge, MA 02138
- Dr. Lynn A. Cooper LRDC University of Pittsburgh 3939 O'Hara St. Pittsburgh, PA 15213
- 1 Dr. Hans Crombag Education Research Cntr. University of Leyden Boerhaavelaan 2 2334 EN Leyden The NETHERLANDS
- Dr. Dattpradad Divgi Syracuse University Deparment of Psychology Syracuse, NY 33210

- 1 Dr. Susan Embretson-Whitely Psychology Department University of Kansas Lawrence, KS 66045
- 1 ERIC Facility-Acquisitions 4833 Rugby Ave. Bethesda, MD 20014
- Dr. Benjamin Fairbank
 McFann-Gray & Associates, Inc.
 5825 Callaghan Rd.
 Suite 225
 San Antonio, TX 78228
- Dr. Meredith Crawford American Psych. Association 1200 17th St., NW Washington, DC 02138
- Dr. Lee Cronbach
 Dept. of Education
 Stanford University
 Stanford, CA 94305
- Dr. Evelyn Doody
 Dept. of Psych
 U of Oklahoma
 529-D Stinson
 Norman, OK 73069
- 1 Dr. Fritz Drasgow
 Department of Psychology
 University of Illinois
 603 E. Daniels St.
 Urbana, IL 61820
- Dr. Leonard Feldt
 Lindquist Center for Measunt.
 University of Iowa
 Iowa City, IA 52242
- Dr. Richard Ferguson
 The Am. College Testing Prog.
 P.O. Box 168
 Lowa City, IA 52240
- Mr. Wallace Feurzeig
 Bolt Beranek & Newman, Inc.
 50 Moulton St.
 Cambridge, MA 02138

- 1 Dr. Victor Fields
 Dept. of Psychology
 Montgomery College
 Rockville, MD 20850
- Dr. Gerhard Fischer
 Liebiggasse 5/3
 A 1010 Vienna
 AUSTRIA
- 1 Dr. Donald Fitzgerald University of New England Armidale, N. S. Wales 2351 AUSTRALIA
- Dr. Dexter Fletcher WICAT Research Inst. 1875 S. State St. Orem, UT 22333
- Dr. John Frederiksen
 Bolt Beranek & Newman
 50 Moulton St.
 Cambridge, MA 02138
- Dr. Paul Games 403D Carpenter University Park, PA 16802
- Dr. Janice Gifford University of Massachusetts School of Education Amherst, MA 01002
- Dr. Robert Glaser
 LRDC
 University of Pittsburgh
 3939 O'Hara St.
 Pittsburgh, PA 15213
- Dr. Bert Green
 John Hopkins University
 Dept. of Psychology
 Charles & 34th St.
 Baltimare, MD 21218
- Dr. James Greeno LRDC 3939 O'Hara St. Pittsburgh, PA 15213

- Dr. Ron Hambleton School of Education University of Massachusetts Amherst, MA 01002
- l Dr. Delwyn Harnisch ICBD University of Illinois 51 Gerty Drive Champaign, IL 61801
- Dr. Kristina Hooper Clark Kerr Hall University of Calif. Santa Cruz, CA 95060
- Dr. Paul Holtzman
 Decision Systems
 MFI
 100 S. Wacker Drive
 Chicago, IL 60606
- 1 Dr. Lloyd Humphreys 421 Psychology University of Illinois Champaign, IL 61820
- Prof. Raimo Konttinen or Library Institute for Ed Research University of Jyvaskyla 40100 Jyvaskyla FINLAND
- Library
 HumRRO/Western Division
 27857 Berwick Drive
 Carmel, CA 93921
- Dr. Steven Hunka
 Dept. of Education
 University of Alberta
 Edmonton, Alberta
 CANADA
- Dr. Earl Hunt
 Dept. of Psychology
 University of Washington
 Seattle, WA 98105

- 1 Dr. Jack Hunter 2122 Coolidge St. Lansing, MI 48906
- 1 Dr. Huynh Huynh College of Education University of South Carolina Columbia, SC 29208
- Dr. Douglas H. Jones
 Room T-225/21-T
 Educational Testing Service
 Princeton, NJ 08541
- l Professor John A. Keats University of Newcastle AUSTRALIA 2308
- 1 Dr. William Koch University of Texas-Austin Measurement and Evaluation Cntr. Austin, TX 78703
- 1 Jeff Kelety
 Dept. of Instr. Tech.
 University of S. Calif.
 Los Angeles, CA 92007
- Dr. Walter Kintsch
 Dept. of Psych.
 University of Colorado
 Boulder, CO 80302
- Dr. David Kieras
 Dept. of Psych.
 University of Arizona
 Tucson, AZ 85721
- Dr. Stephan Kosslyn Harvard University Dpt. of Psych. 33 Kirkland St. Cambridge, MA 02138
- Mr. Marlin Kroger
 1117 Via Goleta
 Palos Verdes Estates, CA 90274
- Dr. Marcy Lansman
 Dpt. of Psych. NI 25
 Univ. of Washington
 Seattle, WA 98195

- Dr. Jill Larkin
 Dpt. of Psych.
 Carnegie Mellon Univ.
 Pittsburgh, PA 15213
- 1 Dr. Alan Lesgold LRDC Univ. of Pittsburgh Pittsburgh, PA 15260
- 1 Dr. Michael Levine Dept. of Ed Psych 210 Education Bldg. University of Illinois Champaign, IL 61801
- Dr. Charles Lewis
 Faculteit Sociale Wetenschappen
 Rijksuniversiteit Groningen
 Oude Boteringestraat 23
 9712GC Groningen
 NETHERLANDS
- 1 Dr. Robert Linn 210 Education University of Illinois Urbana, IL 61801
- 1 Mr. Phillip Livingston Systems and Applied Sci. 6811 Kenilworth Ave. Riverdale, MD 20840
- 1 Dr. Robert Lockman Center for Naval Analysis 200 N. Beauregard St. Alexandria, VA 22311
- 1 Bob Loo, Ph.D.
 Department of Fsychology
 The University of Calgary
 2920 24th Ave. NW
 Calgary, Alberta
 CANADA T2N 1N4
- Dr. Frederick M. Lord
 Educational Testing Ser.
 Princeton, NJ 08540
- Dr. James Lumsden
 Dpt. of Psychology
 University of Western Australia
 Nedlands W.A. 6009
 AUSTRALIA

- Dr. Drew Malizio
 American Counc. on Ed.
 No. 1 Pont Circle, #20
 Washington, DC 20036
- Dr. Gary Marco
 Stop 31-E
 Educational Testing Service
 Princeton, NJ 08540
- Dr. Scott Maxwell
 Dpt. of Psych.
 Univ. of Houston
 Houston, TX 77004
- 1 Dr. David McArthur CSE 145 Moor Hall UCLA Los Angeles, CA 90024
- Dr. Samuel T. Mayo Loyola U. of Chicago 820 N. Michigan Av. Chicago, IL 60611
- 1 Mr. Robert McKinley
 American College Testing
 P.O. Box 168
 Iowa City, IA 52243
- Dr. Erik McWilliams
 Science Ed. Dev. & Res.
 National Science Foundation
 Washington, DC 20550
- 1 Dr. Peter Mich
 Ed Psych
 Enderis Hall 719
 University of Wisconsin
 P.O. Box 413
 Milwaukee, WE 53201
- l Dr. Robert Mislevy 711 Illinois St. Geneva, IL 60134
- Dr. Allen Munro
 Behvr. Tech. Lab.
 1845 Elena Ave. 4th floor
 Redondo Beach, CA 90277

- 1 Dr. Alan Nicewander
 University of Oklahoma
 Department of Psychology
 Oklahoma City, OK 73069
- 1 Dr. Anthony J. Nitko School of Ed. Division of Ed. Studies University of Pittsburgh 5C03 Forbes Quandrangle Pittsburgh, PA 15260
- Dr. Donald A. Norman Dpt. of Psych. C-009 Univ. of Calif. La Jolla, CA 92093
- 1 Dr. Melvin Novick 356 Lindquist Cntr for Measur. University of Iowa Iowa City, IA 52242
- Dr. James Olson
 WICAT, Inc.
 1875 S. State St.
 Orem, UT 84057
- 1 Dr. Jesse Orlansky
 Inst. for Defense Analyses
 400 Army Navy Drive
 Arlington, VA 22202
- Dr. Seymour A. Papert MIT Artific. Intelli. Lab. 545 Technology Square Cambridge, MA 02139
- Wayne M. Patience American Council on Education GED Testing Service, suite 20 One Dupont Circle, NW Washington, DC 20036
- Dr. James A. Paulson Portland State University P.O. Box 751 Portland, OR 97207
- 1 Dr. James Pellegrino
 Univ. of Calif.
 Dpt. of Psych.
 Santa Barbara, CA 93106

- Dr. Martha Polson
 Dpt. of Psych.
 Campus Box 346
 University of Colorado
 Boulder, CO 80309
- Dr. Peter Posner
 Dpt. of Psych.
 Univ. of Oregon
 Eugene, OR 97403
- Dr. Peter Polson
 Dpt. of Psych.
 University of Colorado
 Boulder, CO 80309
- Dr. Diane M. Ramsey-Klee R-K Res. & System Design 3947 Ridgemont Dr. Malibu, CA 90265
- 1 Minrat M. L. Rauch
 P II 4
 Bundesministerium der
 Verteidigung
 Postfach 1328
 D-53 Bonn 1
 GERMANY
- Dr. Mark D. Reckase
 Ed Psych Dept.
 University of Missouri
 4 Hill Hall
 Columbia, MO 65211
- Dr. Lauren Resnick
 LRDC
 University of Pittsburgh
 3939 O'Hara St.
 Pittsburgh, PA 15213
- 1 Dr. Thomas Reynolds
 University of Texas
 Marketing Department
 P.O. Box 688
 Richardson, TX 75080
- Dr. Andrew M. Rose American Inst. for Res. 1055 Thomas Jefferson St. NW Washington, DC 20007

- Dr. Leonard L. Rosenbuam Dept. of Psychology Montgomery College Rockville, MD 20850
- Dr. Ernst Z. Rothkopf
 Bell Laboratories
 600 Mountain Ave.
 Murry Hill, NJ 07974
- Dr. Lawrence Rudner 403 Elm Ave. Takoma Park, MD 20012
- Dr. David Rumelhart Cntr. for Human Info. Univ. of Calif. La Jolla, CA 92093
- Dr. J. Ryan
 Dept. of Ed.
 University of S. Carolina
 Columbia, SC 29208
- Dr. Fumiko Samejima Dept. of Psychology U. of Tennessee Knoxville, TN 37916
- Dr. Walter Schneider Psychology Deparment 603 E. Daniel Champaign, IL 61820
- Dr. Alan Schoenfeld Dpt. of Mathematics Hamilton College Clinton, NY 13323
- Lowell Schoer Psychological & Quantitative Foun. College of Education University of Iowa Iowa City, IA 52242
- I Dr. Robert J. Seidel
 Instr. Tech. Group
 HUMMRRO
 300 N. Washington St.
 Alexandria, VA 22314

- Dr. John Serber
 University of Wisconsin
 Dept. of Ed Psych
 Milwaukee, WI 53201
- 1 Dr. Shigemasu University of Tohoku Dept. of Ed Psych Kawauchi, Sendai 980 JAPAN
- Dr. Edwin Shirkey
 Dept. of Psychology
 University of Centl Florida
 Orlando, FL 32816
- 1 Dr. William Sims Center for Naval Analysis 200 N. Beauregard St. Alexandria, VA 22311
- 1 Dr. Wallace Sinaiko
 Program Director
 Manpower Res. & Advi.
 Smithsonian Institution
 801 N. Pitt St.
 Alexandria, VA 22314
- Dr. Richard Snow School of Ed. Stanford University Stanford, CA 94305
- 1 Dr. Kathryn T. Spoehr Psychology Dpt. Brown Univerity Providence, RI 02912
- Dr. Robert Sternberg
 Dept. of Psychology
 Yale University
 Box 11A, Yale Station
 New Haven, CT 06520
- Dr. Peter Stoloff
 Center for Naval Analysis
 200 N. Beauregard St.
 Alexandria, VA 23311
- 1 Dr. William Stout Un'ersity of Illinis Dpt of Mathematics Urbana, IL 61801

- Dr. Albert Stevens
 Bolt Beranek & Newman, Inc.
 50 Moulton St.
 Cambridge, MA 02138
- 1 Dr. David E. Stone
 Hazeltine Corp.
 7680 Old Springhouse Rd.
 McLean, VA 22102
- I Dr. Patrick Suppes
 Inst. for Math. Studies
 in Soc. Sci.
 Stanford University
 Stanford, CA 94305
- l Dr. Hariharan Swaminathan Lab. of Psychom. & Evl. Res. School of Ed. University of Massachusetts Amherst, MA 01003
- Dr. Brad Sympson
 Code P310
 Navy Personnel R&D Cntr
 San Diego, CA 92152
- Dr. David Thissen Dept. of Psychology U. of Kansas Lawrence, KS 66044
- 1 Dr. Perry Thorndyke
 The Rand Corp.
 1700 Main St.
 Santa Monica, CA 90406
- 1 Dr. Douglas Towne
 University of S. California
 Behav. Tech. Labs
 1845 S. Elena Ave.
 Redondo Beach, CA 90277
- Dr. Robert Tsutakawa
 Dept. of Statistics
 University of Missouri
 Columbia, MO 65201
- Dr. V. Uppuluri
 Union Carbide Corp.
 Nuclear Division
 P.O. Box Y
 Oak Ridge, TN 37830

- 1 Dr. David Vale
 Assessment Systems Corp.
 2233 University Ave.
 Suite 310
 St. Paul, MN 55114
- Dr. Kurt VanLehn
 Xerox PARC
 3333 Coyote Hill Rd.
 Palo Alto, CA 94304
- Dr. Howard Wainer
 Division of Psychological Studies
 Ed. Testing Service
 Princeton, NJ 08540
- Dr. Michael Waller
 Dpt. of Educational Psych
 University of Wisconsin
 Milwaukee, WI 53201
- Dr. Brian Waters
 HumRRO
 300 N. Washington St.
 Alexandria, VA 22314
- Dr. David Weiss
 N660 Elliott Hall
 University of Minnesota
 75 E. River Road
 Minneapolis, MN 55455
- Perceptronics, Inc.
 545 Middlefield Rd. Suite 140
 Menlo Park, CA 94205
- P.O. White
 Dept. of Psychology
 Institute of Psychiatry
 DeCrespigry Park
 London SE5 8AF
 ENGLAND
- Dr. Rand R. Wilcox
 University of S. California
 Dpt. of Psychology
 Los Angeles, CA 90007
- l Wolfgang Wildgrube Streitdraefteamt Box 20 50 03 D-5300 Bonn 2 WES. GERMANY

- Dr. Steven Wise
 Dept. of Guid. & Ed Psych
 S. Illinis University
 Carbondale, IL 62901
- Dr. Wendy Yen
 CTB/McGraw Hill
 Del Monte Research Park
 Monterey, CA 93940

END

FILMED

1-86

DTIC